

DESIGN CASTORS 2008

Total elegance on floors

To fit for

- Furniture (Office and Home)
- Storage and Display
- Shop Fixtures



PC



SY



TC



DESIGN CASTORS 2008 - choice style, total elegance

Dear Customers,

Human feet need not only comfortable shoes but also design on them. Furniture is required not only with functions but also styles for life. What is on your floor? Here is the new DESIGN CASTORS 2008 of total elegance, a collection of rollers with featured styles and beauty to vitalize where you step.

Rolling through the past 6 years, we have kept improving the quality and upgrading the design of the DESIGN CASTORS. The transformation is noticeable with new attraction: brake device in transparent plastic, colorful rubber like (PU) rings, modern combination, shiny effects... The world above floor is no more black and gray. From the following product groups with color and design variety, it is easy to find a suitable one for your own:

1. TC series - clear transparent, glass-like clean design which matches different metallic finishes such as polished chrome, brushed inox, satin chrome etc.
2. SY series - silver coating (RAL9006) that reflects the modern and high-tech decoration.
3. PC series - shiny metallic color that glorifies every corner.
4. INOX series - brushed inox finish, stainless steel look of classic architectural taste.
5. WD series - solid wood decoration in three tones - light maple, mild teak and dark walnut.
6. YC series - youth colors (green, blue, yellow, orange and red) mix and match with transparent wheels.
7. BD series - black dream of creation, cool and imaginative beauty.
8. SW series - snow white for pureness, peace and pleasanse.

As to the technical specifications of these design castors, here are some highlights:

1. Wheels diameters available with 35mm, 50mm, 60mm, 64mm, 75mm, 100mm and 125mm.
2. The loading capacity of each castor ranges from 30 kgs (66 lbs) to 90 kgs (198 lbs).
3. Castor top fixing stems available with swivel plate, threaded bolt, friction ring and socket stem.
4. Wheel lock or swivel lock is available, so is the fixed direction castor.

Beside the bulk packing for industry use, the individual pack in transparent PP / cardboard box for shops or DIY chain stores is also available which will help creating a hardware business in the way of artware.






F.W. Design Castors will partner with you rolling forward steadily, attractively and prominently.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "Marcellus Shen".

Marcellus Shen
President
Four Winds Corporation

Design Outline





Shoes of furniture (sofa, chair, table, cabinet, box, shelf and trolley etc.)




TC Transparent Clear Series



SKA Single Wheel Castor

- * **SKA35** (dia.35mm) & **SKA50** (dia.50mm) oval type skate wheel of plastics - soft polyurethane (PU) tread and polycarbonate (PC) core, all transparent clear.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
SKA35TC-1PC-PT1	X	35	49.4	20.2	35 kg
SKA35TC-20PCT-PT1	✓				
SKA50TC-1PC-PT1	X	50	65	20	40 kg
SKA50TC-20PCT-PT1	✓				



SKA35TC-1PC-PT1
(non-brake)




SKA35TC-20PCT-PT1
(transparent clear brake)



SKA50TC-20PCT-PT1
(transparent clear brake)

SKU50TC Ball Wheel Castor

- * **SKU50** (dia.50mm) ball wheel of plastics - soft polyurethane (PU) tread and polycarbonate (PC) core, all transparent clear.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.



Loading: 40 kg / pc



SKU50TC-61PC-PT1
(non brake)




SKU50TC-62PCT-PT1
(transparent clear brake)



SKA Single Wheel Castor

- * **SKA60** (dia.60mm), **SKA75** (dia.75mm), **SKA100** (dia.100mm) & **SKA125** (dia.125mm) oval type skate wheel of plastics - soft polyurethane (PU) tread and polycarbonate (PC) core, all transparent clear.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	unit: mm Loading Capacity
SKA60TC-1PC-PT15	X	60	76.45	20.4	45 kg
SKA60TC-20PCT-PT15	✓				
SKA75TC-1PC-PT2	X	75	98	23.3	50 kg
SKA75TC-20PCT-PT2	✓				
SKA100TC-1PC-PT2	X	100	125	23.3	60 kg
SKA100TC-20PCT-PT2	✓				
SKA125TC-1PC-PT8	X	125	151	28.5	80 kg
SKA125TC-20PCT-PT8	✓				



SKA60TC-1PC-PT15

(non brake)

SKA75TC-20PCT-PT2

(transparent clear brake)

SKA100TC-20PCT-PT2

(transparent clear brake)




SKA125TC-20PCT-PT8

(transparent clear brake)

SKE Single / Twin Wheel Castor

- * **SEK50** (dia.50mm), **SKE75** (dia.75mm) & **SKE100** (dia.100mm) flat type skate wheel of plastics - soft polyurethane (PU) tread and polycarbonate (PC) core, all transparent clear.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
SKE50TC-51SC-PT1	X	50	70	20	40 kg
SKE50TC-52SCT-PT1	✓				
SKE75TC-51SC-PT2	X	75	102.4	23.5	50 kg
SKE75TC-52SCT-PT2	✓				
SKE100TC-51SC-PT2	X	100	125	23.5	60 kg
SKE100TC-52SCT-PT2	✓				

**SKE50TC-52SCT-PT1**


(transparent clear brake)

**SKE75TC-52SCT-PT2**

(transparent clear brake)

**SKE100TC-51SC-PT2**

(non brake)




Loading: 70 kg / pc

**SKE50TC-21SC-PT2A**
(non brake)**SKE50TC-220SCT-PT2A**
(transparent clear brake)

ROV Single Wheel Castor

- * **ROV50** (dia.50mm), **ROV75** (dia.75mm) & **ROV100** (dia.100mm) oval type wheel of transparent clear acrylic, with transparent PU ring.
- * Metal wheel supporters in brushed nickel (BN) electroplating, swivel plate in nickel electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ROV50TC-1BN-PT1N	X	50	65	20	30 kg
ROV50TC-20BNT-PT1N	✓				
ROV75TC-1BN-PT2N	X	75	98	24	40 kg
ROV75TC-20BNT-PT2N	✓				
ROV100TC-1BN-PT2N	X	100	125	24	45 kg
ROV100TC-20BNT-PT2N	✓				



ROV50TC-20BNT-PT1N
(transparent clear brake)



ROV75TC-1BN-PT2N
(non brake)



ROV75TC-20BNT-PT2N
(transparent clear brake)




ROV100TC-20BNT-PT2N
(transparent clear brake)

CMF Twin Wheel Castor

* **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, BC beam, TC wheel and PU rings.

**CMF60BC-1TCT-PT42**

(non brake)



unit: mm

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60BC-1TCT-PT42	X	60	95	40	45 kg
CMF60BC-2TCT-PT42	✓				
CMF75BC-1TCT-PT502	X	75	110	40	60 kg
CMF75BC-2TCT-PT502	✓				
CMF100BC-1TCT-PT63	X	100	136	42	75 kg
CMF100BC-2TCT-PT63	✓				

**CMF75BC-1TCT-PT502**

(non brake)

**CMF100BC-1TCT**

(non brake)

SY Silver Gray Series



SKL Ball Wheel Castor


- * **SKL50** (dia.50mm) ball wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and silver gray polypropylene (PP) core.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

**SKL50MY-61SC-PT1**

(non brake)

SKL50MY-62SCT-PT1


(transparent clear brake)



Loading: 40 kg / pc

SKI Single Wheel Castor

- * **SKI64** (dia.64mm) oval type skate wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and silver gray polypropylene (PP) core.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.




Loading: 45 kg / pc

**SKI64MY-31SC-PT15**
(non brake)**SKI64MY-32SCSY-PT15**
(silver gray brake)

ARD Single Wheel Castor

- * **ARD50** (dia.50mm), **ARD64** (dia.64mm) & **ARD75** (dia.75mm) oval type wheel of solid aluminium matt silver anodized, with gray PU ring.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ARD50NAY-1SC-PT1	X	50	65	20	35 kg
ARD50NAY-20SCSY-PT1	✓				
ARD64NAY-31SC-PT15	X	64	85	24	40 kg
ARD64NAY-32SCSY-PT15	✓				
ARD75NAY-1SC-PT2	X	75	98	24	45 kg
ARD75NAY-20SCSY-PT2	✓				

**ARD50NAY-1SC-PT1**

(non brake)

ARD50NAY-20SCSY-PT1

(silver gray brake)

**ARD64NAY-32SCSY-PT15**

(silver gray brake)

**ARD75NAY-20SCSY-PT2**

(silver gray brake)

SKF Single Wheel Castor


* **SKF60** (dia.60mm), **SKF75** (dia.75mm), **SKF100** (dia.100mm) & **SKF125** (dia.125mm) flat type skate wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and silver gray polypropylene (PP) core.

* Metal wheel supporters in satin chrome (SC) electroplating.

* Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

**SKF60MY-1SC-PT15**

(non brake)



unit: mm

Item No.	Brake	D (Ø)	H	W	Loading Capacity
SKF60MY-1SC-PT15	X	60	76.45	21.6	40 kg
SKF60MY-20SCSY-PT15	✓				
SKF75MY-1SC-PT2	X	75	98	23.5	50 kg
SKF75MY-20SCSY-PT2	✓				
SKF100MY-1SC-PT2	X	100	125	23.5	60 kg
SKF100MY-20SCSY-PT2	✓				
SKF125MY-1SC-PT8	X	125	151	28	75 kg
SKF125MY-20SCSY-PT8	✓				

**SKF75MY-20SCSY-PT2**

(silver gray brake)

**SKF100MY-20SCSY-PT2**


(silver gray brake)

**SKF125MY-20SCSY-PT8**

(silver gray brake)

ACW Single Wheel Castor

- * **ACW75** (dia.75mm), **ACW100** (dia.100mm) & **ACW125** (dia.125mm) spoke type wheel of solid aluminium matt silver anodized, with gray PU rings.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.



Item No.	Brake	D (Ø)	H	W	Loading Capacity
ACW75NAY-1SC-PT2	X	75	98	24	45 kg
ACW75NAY-20SCSY-PT2	✓				
ACW100NAY-1SC-PT2	X	100	125	24	55 kg
ACW100NAY-20SCSY-PT2	✓				
ACW125NAY-1SC-PT8	X	125	151	29	70 kg
ACW125NAY-20SCSY-PT8	✓				

**ACW100NAY-20SCSY-PT2**

(silver gray brake)


**ACW125NAY-20SCSY-PT8**

(silver gray brake)

CMF Twin Wheel Castor

* **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, SY beam, silver coated (SV) wheel and SY PU rings.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60SY-1SVSY-PT42	X	60	95	40	45 kg
CMF60SY-2SVSY-PT42	✓				
CMF75SY-1SVSY-PT502	X	75	110	40	60 kg
CMF75SY-2SVSY-PT502	✓				
CMF100SY-1SVSY-PT63	X	100	136	42	75 kg
CMF100SY-2SVSY-PT63	✓				



CMF60SY-1SVSY-PT42

(non brake)



CMF60SY-1SVSY-PT42

(non brake)



CMF75SY-2SVSY-PT502

(gray brake)



CMF100SY-2SVSY

(gray brake)


CMF100SY-1SVSY

(non brake)

FMF Twin Wheel Castor

- * **FMF60** (dia.60mm), **FMF75** (dia.75mm) & **FMF100** (dia.100mm) silver coated (SV) nylon beam (wheel supporter) and hub caps.
- * Nylon wheel in gray.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
FMF60YSV-1SV-PT42	X	60	82.8	40	60 kg
FMF60YSV-2SV-PT42	✓				
FMF75YSV-1SV-PT502	X	75	98	40	80 kg
FMF75YSV-2SV-PT502	✓				
FMF100YSV-1SV-PT63	X	100	129	42	80kg
FMF100YSV-2SV-PT63	✓				

**FMF60YSV-1SV-PT42**

(non brake)

**FMF75YSV-2SV-PT502**

(gray brake)

**FMF100YSV-2SV-PT63**

(gray brake)

PC Shiny Chrome Series




ARD Single Wheel Castor

- * **ARD50** (dia.50mm), **ARD64** (dia.64mm) & **ARD75** (dia.75mm) oval type wheel of solid aluminium PU coated, with black PU ring.
- * Metal wheel supporters in polished chrome (**PC**) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.



ARD50CUB-20PCB-PT1

(black brake)



unit: mm

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ARD50CUB-1PC-PT1	X	50	65	20	35 kg
ARD50CUB-20PCB-PT1	✓				
ARD64CUB-31PC-PT15	X	64	85	24	40 kg
ARD64CUB-32PCB-PT15	✓				
ARD75CUB-1PC-PT2	X	75	98	24	45 kg
ARD75CUB-20PCB-PT2	✓				



ARD64CUB-31PC-PT15

(non brake)



ARD64CUB-32PCB-PT15

(black brake)




ARD75CUB-20PCB-PT2

(black brake)

ACW Single Wheel Castor

- * **ACW75** (dia.75mm), **ACW100** (dia.100mm) & **ACW125** (dia.125mm) spoke type wheel of solid aluminium PU coated, with black PU rings.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ACW75CUB-1PC-PT2	X	75	98	24	45 kg
ACW75CUB-20PCB-PT2	✓				
ACW100CUB-1PC-PT2	X	100	125	24	55 kg
ACW100CUB-20PCB-PT2	✓				
ACW125CUB-1PC-PT8	X	125	151	29	70 kg
ACW125CUB-20PCB-PT8	✓				

**ACW75CUB-20PCB-PT2**

(black brake)

**ACW125CUB-20PCB-PT8**

(black brake)

**ACW100CUB-1PC-PT2**

(non brake)


**ACW100CUB-20PCB-PT2**

(black brake)

CMF Twin Wheel Castor

* **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, black beam, PC wheel and black PU rings.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60BB-1PCB-PT42	X	60	95	40	45 kg
CMF60BB-2PCB-PT42	✓				
CMF75BB-1PCB-PT502	X	75	110	40	60 kg
CMF75BB-2PCB-PT502	✓				
CMF100BB-1PCB-PT63	X	100	136	42	75 kg
CMF100BB-2PCB-PT63	✓				



CMF60BB-2PCB-PT42

(black brake)

CMF75BB-2PCB-PT502

(black brake)


CMF100BB-1PCB

(non brake)

FMF Twin Wheel Castor

* **FMF75** (dia.75mm) bright chrome plated (BC) nylon beam (wheel supporter) and polished chrome (PC) plated hub caps.

* Nylon wheel in black.



Loading: **80 kg / pc**



FMF75BBC-1PC-PT502

(non-brake)


INOX Series



ARD Single Wheel Castor

- * **ARD50** (dia.50mm), **ARD64** (dia.64mm) & **ARD75** (dia.75mm) oval type wheel of solid aluminium brushed nickel (BN) electroplated, with transparent clear PU ring.
- * Metal wheel supporters in brushed nickel (BN) electroplating, swivel plated in nickel electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ARD50BNT-1BN-PT1N	X	50	65	20	35 kg
ARD50BNT-20BNT-PT1N	✓				
ARD64BNT-31BN-PT15N	X	64	85	24	40kg
ARD64BNT-32BNT-PT15N	✓				
ARD75BNT-1BN-PT2N	X	75	98	24	45kg
ARD75BNT-20BNT-PT2N	✓				

**ARD50BNT-20BNT-PT1N**

(transparent clear brake)

**ARD64BNT-32BNT-PT15N**

(transparent clear brake)

**ARD75BNT-1BN-PT2N**

(non brake)


**ARD75BNT-20BNT-PT2N**

(transparent clear brake)

ACW Single Wheel Castor

- * **ACW75** (dia.75mm), **ACW100** (dia.100mm) & **ACW125** (dia.125mm) spoke type wheel of solid aluminium brushed nickel (BN) electroplated, with black PU rings.
- * Metal wheel supporters in brushed nickel (BN) electroplating, swivel plated in nickel electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
ACW75BNB-1BN-PT2N	X	75	98	24	45kg
ACW75BNB-20BNB-PT2N	✓				
ACW100BNB-1BN-PT2N	X	100	125	24	55 kg
ACW100BNB-20BNB-PT2N	✓				
ACW125BNB-1BN-PT8N	X	125	151	29	70 kg
ACW125BNB-20BNB-PT8N	✓				

**ACW75BNB-20BNB-PT2N**


(black brake)

**ACW100BNB-20BNB-PT2N**
(black brake)**ACW100BNB-1BN-PT2N**
(black brake)**ACW125BNB-20BNB-PT8N**
(black brake)

CMF Twin Wheel Castor

* **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, satin nickel (SN) beam & wheel, with black PU rings.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60SN-1SNB-PT42	X	60	95	40	45 kg
CMF60SN-2SNB-PT42	✓				
CMF75SN-1SNB-PT502	X	75	110	40	60 kg
CMF75SN-2SNB-PT502	✓				
CMF100SN-1SNB-PT63	X	100	136	42	75 kg
CMF100SN-2SNB-PT63	✓				

**CMF60SN-1SNB-PT42****CMF75SN-1SNB-PT502****CMF100SN-1SNB**

(non brake)


(non brake)

(non brake)

FMF Twin Wheel Castor

* **FMF75** (dia.75mm) black nylon beam (wheel supporter), brushed nickel (BNI) plated hub caps.

* Nylon wheel in black.

Loading: **80 kg / pc****FMF75BB-2BNI-PT502**

(black brake)

WD Wood Deco Series




CMF Twin Wheel Castor

* **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, satin nickel beam, walnut finished wheel, with transparent clear PU rings.

**CMF60SN-1DBT-PT42**

(non brake)



unit: mm

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60SN-1DBT-PT42	X	60	95	40	45 kg
CMF60SN-2DBT-PT42	✓				
CMF75SN-1DBT-PT502	X	75	110	40	60 kg
CMF75SN-2DBT-PT502	✓				
CMF100SN-1DBT-PT63	X	100	136	42	75 kg
CMF100SN-2DBT-PT63	✓				

**CMF75SN-1DBT-PT502**

(non brake)

**CMF100SN-1DBT**


(non brake)

WTC60 Single Wheel Castor

* **WTC60** (dia.60mm) flat type wheel of solid maple in natural (MN), solid wood in teak (TK) or walnut (DB) finish, with transparent clear hub & PU rings.

* Metal wheel supporters in polished chrome (PC) or brushed nickel (BN) electroplating.

* Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.



Loading: 35 kg / pc



WTC60MNT-20PCT-PT15

(transparent clear brake)



WTC60DBT-20PCT-PT15

(transparent clear brake)



WTC60TKT-1BN-PT15N


(non brake, NP swivel plate)

WTC60TKT-20BNT-PT15N

(transparent clear brake,
NP swivel plate)

WTC75 Single Wheel Castor

- * **WTC75** (dia.75mm) flat type wheel of solid maple in natural (MN), solid wood in teak (TK) or walnut (DB) finish, with transparent clear hub & PU rings.
- * Metal wheel supporters in polished chrome (PC) or brushed nickel (BN) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.



Loading: 40 kg / pc



WTC75MNT-1PC-PT2

(non brake)

WTC75MNT-20PCT-PT2

(transparent clear brake)



WTC75DBT-20PCT-PT2

(transparent clear brake)



WTC75TKT-20BNT-PT2N

(transparent clear brake,
NP swivel plate)

YC Youth Colors Series




SKE50 Single Wheel Castor

- * **SKE50** (dia.50mm) flat type skate wheel of plastics - soft polyurethane (PU) tread and polycarbonate (PC) core, in transparent colors.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

**SKE50TG-52PCTG-PT1**

(transparent green brake)



Loading: 40 kg / pc

Code	Colors
TG	transparent green
TU	transparent blue
TE	transparent yellow
TO	transparent orange
TR	transparent red

Item No.	Brake
SKE50TX-51PC-PT1	X
SKE50TX-52PCTX-PT1	✓

**SKE50TU-52PCTU-PT1**

(transparent blue brake)

**SKE50TE-52PCTE-PT1**

(transparent yellow brake)

**SKE50TO-52PCTO-PT1**

(transparent orange brake)


**SKE50TR-52PCTR-PT1**

(transparent red brake)

SKL50 Ball Wheel Castor

- * **SKL50** (dia.50mm) ball wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and colorful polypropylene (PP) core.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Code	Colors
MG	transparent clear / green
MU	transparent clear / blue
ME	transparent clear / yellow
MO	transparent clear / orange
MR	transparent clear / red



Loading: 40 kg / pc

**SKL50ME-61PC-PT1**

(non brake)

Item No.	Brake
SKL50MX-61PC-PT1	X
SKL50MX-62PCT-PT1	✓

**SKL50MG-62PCT-PT1**

(transparent clear brake)

**SKL50MU-62PCT-PT1**

(transparent clear brake)

**SKL50MO-62PCT-PT1**

(transparent clear brake)

**SKL50MR-61PC-PT1**


(non brake)

SKI64 Single Wheel Castor

- * **SKI64** (dia.64mm) oval type skate wheels of plastics - transparent soft polyvinyl chloride (PVC) tread and colorful polypropylene (PP) core.
- * Metal wheel supporters in polished chrome (PC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

**SKI64MG-32PCT-PT15**

(transparent clear brake)

Loading: **45 kg / pc**

Code	Colors
MG	transparent clear / green
MU	transparent clear / blue
ME	transparent clear / yellow
MO	transparent clear / orange
MR	transparent clear / red

Item No.	Brake
SKI64MX-31PC-PT15	X
SKI64MX-32PCT-PT15	✓

**SKI64MU-32PCT-PT15**

(transparent clear brake)

**SKI64ME-32PCT-PT15**

(transparent clear brake)

**SKI64MO-32PCT-PT15**

(transparent clear brake)


**SKI64MR-32PCT-PT15**

(transparent clear brake)

RCW75 Single Wheel Castor

- * **RCW75** (dia.75mm) spoke type wheel of transparent clear acrylic, with colorful PU rings.
- * Metal wheel supporters in satin chrome (SC) electroplating.
- * Wheel assembled by axle of interscrew and sleeve, can be replaced with M4 hex keys.

Code	Colors
TCG	TC wheel / green rings
TCU	TC wheel / blue rings
TCE	TC wheel / yellow rings
TCO	TC wheel / orange rings
TCR	TC wheel / red rings

Loading: **50 kg / pc****RCW75TCG-1SC-PT2**

(non brake)

**RCW75TCU-20SCT-PT2**

(transparent clear brake)

Item No.	Brake
RCW75TCX-1SC-PT2	X
RCW75TCX-20SCT-PT2	✓

**RCW75TCO-20SCT-PT2**

(transparent clear brake)

**RCW75TCE-1SC-PT2**

(non brake)

**RCW75TCR-20SCT-PT2**

(transparent clear brake)


CMF75 Twin Wheel Castor

- * CMF75 (dia. 75mm) flat design, all nylon, colorful beam and PU rings, transparent clear wheel.
- * With chrome plated axle bolt.

**CMF75G-1TCG-PT502**

(non brake)

Code	Colors
TCG	transparent clear / green
TCU	transparent clear / blue
TCE	transparent clear / yellow
TCO	transparent clear / orange
TCR	transparent clear / red

Loading: **60 kg / pc**

Item No.	Brake
CMF75X-1TCX-PT502	X
CMF75X-2TCX-PT502	✓

**CMF75U-1TCU-PT502**

(non brake)

**CMF75E-1TCE-PT502**

(non brake)

**CMF75O-1TCO-PT502**

(non brake)


**CMF75R-1TCR-PT502**

(non brake)

FMF75 Slim Twin Wheel Castor

- * FMF75 (dia.75mm), white nylon beam (wheel supporter) and wheel.
- * Transparent clear hub caps with colorful background.

Item No.	Brake
FMF75WT-1TCX-PT502	X
FMF75WT-2TCX-PT502	✓



Code	Colors
TCG	transparent clear / green
TCU	transparent clear / blue
TCE	transparent clear / yellow
TCO	transparent clear / orange
TCR	transparent clear / red

Loading: **80 kg / pc**



FMF75WT-1TCG-PT502
(non brake)



FMF75WT-1TCU-PT502
(non brake)



FMF75WT-1TCE-PT502
(non brake)




FMF75WT-1TCO-PT502
(non brake)



FMF75WT-1TCR-PT502
(non brake)

BD Black Dream Series



Metal wheel supporters and swivel plates in black electro-coating (BK)**SKL50 Ball Wheel Castor**


* **SKL50** (dia.50mm) ball wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and black polypropylene (PP) core.



SKL50MB-61BK-PT1B
(non brake)




SKL50MB-62BKT-PT1B
(transparent clear brake)



Loading: **40 kg / pc**

SKI64 Single Wheel Castor

* **SKI64** (dia.64mm) oval type skate wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and black polypropylene (PP) core.



Loading: **45 kg / pc**



SKI64MB-31BK-PT15B
(non brake)



SKI64MB-32BKT-PT15B
(transparent clear brake)

RCW75 Single Wheel Castor


* **RCW75** (dia.75mm) spoke type wheel of transparent clear acrylic, with black PU rings.



RCW75TCB-1BK-PT2B
(non brake)



RCW75TCB-20BKT-PT2B
(transparent clear brake)




Loading: **50 kg / pc**

CMF Twin Wheel Castor

- * **CMF60** (dia.60mm), **CMF75** (dia.75mm) & **CMF100** (dia.100mm) flat design, all nylon, black beam, transparent clear wheel, with black PU rings.
- * With chrome plated axle bolt.

Item No.	Brake	D (Ø)	H	W	Loading Capacity
CMF60BB-1TCB-PT42	X	60	95	40	45 kg
CMF60BB-2TCB-PT42	✓				
CMF75BB-1TCB-PT502	X	75	110	40	60kg
CMF75BB-2TCB-PT502	✓				
CMF100BB-1TCB-PT63	X	100	136	42	75kg
CMF100BB-2TCB-PT63	✓				



CMF60BB-2TCB-PT42
(black brake)



CMF75BB-2TCB-PT502
(black brake)




CMF100BB-1TCB
(non brake)

SW Snow White Series



Metal wheel supporters in white electro-coating (WT)

* **SKL50** (dia.50mm) ball wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and white polypropylene (PP) core



SKL50MW-62PCT-PT1
(transparent clear brake)

* **SKI64** (dia.64mm) oval type skate wheel of plastics - transparent soft polyvinyl chloride (PVC) tread and white polypropylene (PP) core



SKI64MW-32PCT-PT15
(transparent clear brake)


Nylon beam (wheel supporter) in white

* **CMF75** (dia.75mm) flat design, all nylon, transparent wheel with white background and white PU rings



CMF75WT-1TWW-PT502
(non-brake)

* **CMF75** (dia.75mm) flat design, all nylon, transparent clear wheel with white PU rings



CMF75WT-1TCW-PT502
(non-brake)

* **FMF75** (dia.75mm) flat design, all nylon, white wheel, transparent hub caps with white background



FMF75WT-1TCW-PT502
(non-brake)

SKI64 Single Wheel Castor

- * **SKI64** (dia.64mm) oval type skate wheels of plastics - transparent soft polyvinyl chloride (PVC) tread and colorful polypropylene (PP) core.
- * Double ball bearings, 60 kgs loading capacity.
- * Friction ring top dia. 11X22mm.



SKI64MY-1SC-F22



SKI64MB-1PC-F22

CMF Twin Wheel Castor

- * **CMF60** (dia.60mm) & **CMF75** (dia.75mm) all nylon, with soft PU rings.
- * Friction ring top dia.11X22mm.



CMF60BB38BB-1PCB-F22



CMF75BB-1PCB-F22



CMF75BB-1TCB-F22



CMF75SY-1SVSY-F22


Module Single Wheel Castors

- * Stylish modern design, elegant finishes and vivid colors, select materials, accessible to various application and creating individual and diversified life mode.
- * Mix and match wheel supporters in different finishes with wheels of various designs, materials and colors.

Module structure



Break down of castor assembly



Module Single Wheel Castors

Finishes of metal wheel supporters

a) non-brake type



b) brake type



Module Single Wheel Castors

- * Plastic brake piece in black, silver gray and transparent clear.
- * A wide range of wheel sizes: Ø35mm, Ø50mm (single or twin wheel), Ø60mm, Ø64mm, Ø75mm, Ø100mm and Ø125mm.

● Module-I metal wheel supporters, with swivel top plate, non brake



35-1-PT1
(Ø35mm)



50-1-PT1
(Ø50mm)



50-21-PT2A
(twin Ø50mm)



60-1-PT15
(Ø60mm)



64-31-PT15
(Ø64mm, swivel top with
single layer ball bearing)



64-1-PT2
(Ø64mm, swivel top with
double layer ball bearing)



75-1-PT2
(Ø75mm)



100-1-PT2
(Ø100mm)



125-1-PT8
(Ø125mm)

Module Single Wheel Castors

- Module-I metal wheel supporters, with swivel top plate, with wheel brake (regular type) or double brake (wheel & swivel brake)



35-20-PT1 (wheel brake)
(Ø35mm)



50-20-PT1 (wheel brake)
(Ø50mm)



50-220-PT2A (wheel brake)
(twin Ø50mm)



60-20-PT15 (wheel brake)
(Ø60mm)



64-32-PT15 (wheel brake)
(Ø64mm, swivel top with
single layer ball bearing)



64-20-PT2 (wheel brake)
64-26-PT2 (double brake)
(Ø64mm, swivel top with
double layer ball bearing)



75-20-PT2 (wheel brake)
75-26-PT2 (double brake)
(Ø75mm)



-26 double brake
- to lock both wheel and swivel



100-20-PT2 (wheel brake)
100-26-PT2 (double brake)
(Ø100mm)



125-20-PT8 (wheel brake)
125-26-PT8 (double brkae)
(Ø125mm)


Module Single Wheel Castors

● Module-I metal wheel supporters, fixed type, non-swivel (one-way rolling)


(unit: mm)



35-5-PT1
(\varnothing 35mm)



50-5-PT1
(\varnothing 50mm)



75-5-PT2
(\varnothing 75mm)



100-5-PT2
(\varnothing 100mm)

Module Single Wheel Castors

- * Concise brilliant design, revealing more gloss of wheels.
- * Finishes of metal wheel supporters: polished chrome (**PC**), satin chrome (**SC**) electroplated.
- * Contemporary simple clip type wheel brake, available in transparent clear (**T**), silver gray (**SY**) and translucent matt (**M**).
- * Sizes of wheels: Ø50mm (ball), Ø50mm (single), Ø75mm (single) and Ø100mm (single).

A) Module-II metal wheel supporters, with swivel top plate (single layer ball bearing only) non-brake.



Module Single Wheel Castors

B) Module-II metal wheel supporters, with swivel top plate (single layer ball bearing only) with wheel brake.



C) Module-II metal wheel supporters, fixed type, non-swivel (one-way rolling).




Module Single Wheel Castors


Top fixing system of metal wheel supporters, swivel type, available for both **Module I & II** castors.

A. Top plate stem


-**PT1** (Size: 42X42mm)
(for Ø35 & Ø50mm wheels)




-**PT15** (Size: 50X50mm)
(for Ø60mm wheel only)




-**PT2** (Size: 60X60mm)
(for Ø64, 75, 80 & 100mm wheels)



-**PT3** (Size: 80X52mm)
(for Ø64, 75, 80 & 100mm wheels)




-**PT8** (Size: 92X64mm)
(for Ø125mm wheel only)




B. Threaded bolt stem

-**T83** (M8X15mm)



-**T14** (M10X25mm)




Module Single Wheel Castors

Top fixing system of metal wheel supporters, swivel type, available for both **Module I & II** castors.


C. Friction ring stem

-F22 ($\varnothing 11\text{mm} \times 22\text{mm}$)



D. Bolt hole stem $\varnothing 10\text{mm}$

-H10 ($\varnothing 10\text{mm}$)



#TCB83-18N

Connecting screws and nuts

* M8X18 / 18mm, steel, zinc plated.




Connecting screws and nuts for - H10 bolt hole
* Steel, zinc plated.

#H10-30N (L= 30mm)

#H10-40N (L= 40mm)

#H10-50N (L= 50mm)




FMF Series Slim Twin Wheel Castors

Slim Unhooded Twin Wheel Castors

- FMF50, FMF60, FMF75 and FMF100

- * Slim and flat design, variety of color combination, decorating living space and upgrading shop fixtures.
- * Material: all nylon, or with soft polyurethane (PU) tread.
- * Hub caps available in young colors and elegant finishes.
- * Size of wheels: Ø50mm, Ø60mm, Ø75mm and Ø100mm.



Item No.	Wheel Dia. 	Wheel Material	Width	Static Loading Capacity
FMF50	50mm	All nylon	41mm	40 kg
FMF60	60mm	All nylon	45mm	60 kg
FMF601	60mm	PU soft tread / nylon	45mm	60 kg
FMF75	75mm	All nylon	47mm	80 kg
FMF751	75mm	PU soft tread / nylon	47mm	80 kg
FMF100	100mm	All nylon	42mm	100 kg

NEW

CMF Series Twin Wheel Castors

CMF Type Unhooded Twin Wheel Castors

- CMF60, CMF75, CMF100 series

- * Twin wheel castors of car wheel design in polished chrome, silver, wood grain finish or transparent clear.
- * Wheel beam in black, silver gray or bright chrome finish.
- * Size of wheels: Ø60mm, Ø75mm and Ø100mm.

NEW



Item No.	Wheel Dia.	Width	Static Loading Capacity
CMF60	60mm	41mm	45 kg
CMF75	75mm	45mm	60 kg
CMF100	100mm	45mm	75 kg

Unhooded Twin Wheel Castors

	Top Fixing Stems			
	#PT42 (42X42mm)		#T83 (M8X15mm)	
#PT502 (50X50mm)		#F22 (\varnothing 11X22mm)		
#PT63 (42X63mm)		#T14 (M10X25mm)		
Item No.	Dimensions			
FMF50				
FMF60 / FMF601	PT42 / Ø50mm / 73mm H	Ø50mm / 69mm H	Ø50mm / 68mm H	
FMF75 / FMF751	PT42 / Ø60mm / 83mm H	Ø60mm / 78mm H	Ø60mm / 77.3mm H	
FMF100	PT502 / Ø75mm / 98mm H	Ø75mm / 93mm H	Ø75mm / 92mm H	
	PT63 / Ø100mm / 129mm H	Ø100mm / 124mm H	Ø100mm / 123mm H	
Item No.				
CMF60	PT42 / Ø60mm / 86mm H	Ø60mm / 81mm H	Ø60mm / 80mm H	
CMF75	PT502 / Ø75mm / 102mm H	Ø75mm / 97mm H	Ø75mm / 96mm H	
CMF100	PT63 / Ø100mm / 130mm H	Ø100mm / 125mm H	Ø100mm / 124mm H	

Deisgn Castors 2008 - DIY Box Packs

DIY BOX PACKS of Design Castors are very convenient to be displayed in distributors' showrooms or in DIY Chain Stores and ready to be sold to the end users. The products and packing of these DIY box packs are so eye-catching that they can be even considered gifts or souvenirs.

1) TC series - Transparent Clear



Pack No. D16-1

SKU50TC-61PC-PT1 (non-brake)

Pack No. D16-2

SKU50TC-62PCT-PT1 (with brake)



Pack No. D11-1

SKA50TC-1PC-PT1 (non-brake)

Pack No. D11-2

SKA50TC-20PCT-PT1 (with brake)



Pack No. D17-1

SKA50TC-21PC-PT2A (non-brake)

Pack No. D17-2

SKA50TC-220PCT-PT2A (with brake)



Pack No. D13-1

SKA75TC-1PC-PT2 (non-brake)

Pack No. D13-2

SKA75TC-20PCT-PT2 (with brake)



Pack No. D14-1

SKA100TC-1PC-PT2 (non-brake)

Pack No. D14-2

SKA100TC-20PCT-PT2 (with brake)



Pack No. D15-1

SKA125TC-1PC-PT8 (non-brake)

Pack No. D15-2

SKA125TC-20PCT-PT8 (with brake)

2) WD series - Wooden Decoration



Pack No. D13-3

WTC75MNT-1PC-PT2 (non-brake)

Pack No. D13-4

WTC75MNT-20PCT-PT2 (with brake)



Pack No. D13-5

WTC75TKT-1BN-PT2 (non-brake)

Pack No. D13-6

WTC75TKT-20BNT-PT2 (with brake)



Pack No. D13-7

WTC75DBT-1PC-PT2 (non-brake)

Pack No. D13-8

WTC75DBT-20PCT-PT2 (with brake)

Deisgn Castors 2008 - DIY Box Packs

3) SY series - Silver Gray & Natural Aluminium



Pack No. D13-9

SKF75MY-1SC-PT2 (non-brake)

Pack No. D13-10

SKF75MY-20SCSY-PT2 (with brake)



Pack No. D14-3

SKF100MY-1SC-PT2 (non-brake)

Pack No. D14-4

SKF100MY-20SCSY-PT2 (with brake)



Pack No. D15-3

SKF125MY-1SC-PT8 (non-brake)

Pack No. D15-4

SKF125MY-20SCSY-PT8 (with brake)



Pack No. D16-3

SKL50MY-61SC-PT1 (non-brake)

Pack No. D16-4

SKL50MY-62SCT-PT1 (with brake)



Pack No. D13-11

ACW75NAY-1SC-PT2 (non brake)

Pack No. D13-12

ACW75NAY-20SCSY-PT2 (brake)



Pack No. D14-5

ACW100NAY-1SC-PT2 (non-brake)

Pack No. D14-6

ACW100NAY-20SCSY-PT2 (with brake)



Pack No. D15-5

ACW125NAY-1SC-PT8 (non-brake)

Pack No. D15-6

ACW125NAY-20SCSY-PT8 (with brake)

Deisgn Castors 2008 - DIY Box Packs

4) YC series - Youth Colors

There is no rule to choose the colors. This is a multi-colors world.



Pack No. D21-1

- 1 PC SKE50TG-52PCTG-PT1 (with brake)
+
1 PC SKE50TU-52PCTU-PT1 (with brake)



Pack No. D21-2

- 1 PC SKE50TE-52PCTE-PT1 (with brake)
+
1 PC SKE50TO-52PCTO-PT1 (with brake)



Pack No. D21-3

- 2 PCS SKE50TR-52PCTR-PT1 (with brake)



Pack No. D22-1

- 1 PC RCW75TG-1SC-PT2 (non-brake)
+
1 PC RCW75TU-20SCT-PT2 (with brake)



Pack No. D22-2

- 1 PC RCW75TO-1SC-PT2 (non-brake)
+
1 PC RCW75TE-20SCT-PT2 (with brake)



Pack No. D22-3

- 1 PC RCW75TR-1SC-PT2 (non-brake)
+
1 PC RCW75TR-20SCT-PT2 (with brake)



Pack No. D24-1

- 1 PC SKL50MG-61PC-PT1 (non-brake)
+
1 PC SKL50MU-62PCT-PT1 (with brake)



Pack No. D24-2

- 1 PC SKL50MO-61PC-PT1 (non-brake)
+
1 PC SKL50ME-62PCT-PT1 (with brake)



Pack No. D24-3

- 1 PC SKL50MW-61PC-PT1 (non-brake)
+
1 PC SKL50MW-62PCT-PT1 (with brake)

Design Castors 2008 - DIY Bag Packs

* Economical type castors, 2 pcs non-brake and 2 pcs with brake (4 pcs in total) packed in one bag with card header.


Pack No. BAG11

Including 2 pcs of SKF60MY-1SY-PT15 (non-brake)
and 2 pcs of SKF60MY-20SWSY-PT15 (with brake)



SKF60MY-1SY-PT15
(non-brake)

SKF60MY-20SWSY-PT15
(with brake)



WTC60MNY-1SY-PT15
(non-brake)



WTC60MNY-20SWSY-PT15
(with brake)

Deisgn Castors 2008 - Display System

- * To hang the DIY box and bag packs of Design Castors.
- * Open and clear display of products, friendly and accessible to end users.
- * Suitable for hardware distributors and retailing stores.



* Shop display system for design castors in DIY box or bag pack.

INDEX

Item No.	Page	Item No.	Page	Item No.	Page
100-1-PT2	43	ACW75BNB-20BNB-PT2N	22	CMF75BB-1TCB-F22	40
100-20-PT2	44	ACW75CUB-1PC-PT2	18	CMF75BB-1TCB-PT502	37
100-26-PT2	44	ACW75CUB-20PCB-PT2	18	CMF75BB-2PCB-PT502	19
100-51-PT2	46	ACW75NAY-1SC-PT2	13	CMF75BB-2TCB-PT502	37
100-52-PT2	47	ACW75NAY-20SCSY-PT2	13	CMF75BC-1TCT-PT502	8
100-5-PT2	45	ARD50BNT-1BN-PT1N	21	CMF75BC-2TCT-PT502	8
125-1-PT8	43	ARD50BNT-20BNT-PT1N	21	CMF75E-1TCE-PT502	33
125-20-PT8	44	ARD50CUB-1PC-PT1	17	CMF75G-1TCG-PT502	33
125-26-PT8	44	ARD50CUB-20PCB-PT1	17	CMF75O-1TCO-PT502	33
20BKB	42	ARD50NAY-1SC-PT1	11	CMF75R-1TCR-PT502	33
20BKT	42	ARD50NAY-20SCSY-PT1	11	CMF75SN-1DBT-PT502	25
20BNB	42	ARD64BNT-31BN-PT15N	21	CMF75SN-1SNB-PT502	23
20BNT	42	ARD64BNT-32BNT-PT15N	21	CMF75SN-2DBT-PT502	25
20PCB	42	ARD64CUB-31PC-PT15	17	CMF75SN-2SNB-PT502	23
20PCT	42	ARD64CUB-32PCB-PT15	17	CMF75SY-1SVSY-F22	40
20SCB	42	ARD64NAY-31SC-PT15	11	CMF75SY-1SVSY-PT502	14
20SCY	42	ARD64NAY-32SCSY-PT15	11	CMF75SY-2SVSY-PT502	14
20SCT	42	ARD75BNT-1BN-PT2N	21	CMF75U-1TCU-PT502	33
35-1-PT1	43	ARD75BNT-20BNT-PT2N	21	CMF75WT-1TCW-PT502	39
35-20-PT1	44	ARD75CUB-1PC-PT2	17	D11-1	53
35-5-PT1	45	ARD75CUB-20PCB-PT2	17	D11-2	53
50-1-PT1	43	ARD75NAY-1SC-PT2	11	D13-1	53
50-20-PT1	44	ARD75NAY-20SCSY-PT2	11	D13-10	54
50-21-PT2A	43	BAG11	56	D13-11	54
50-220-PT2A	44	BAG21	56	D13-12	54
50-51-PT1	46	BK	42	D13-2	53
50-52-PT1	47	BN	42	D13-3	53
50-55-PT	47	CMF100	51, 52	D13-4	53
50-5-PT1	45	CMF100BB-1PCB-PT63	19	D13-5	53
50-61-PT1	46	CMF100BB-1TCB-PT63	37	D13-6	53
50-62-PT1	47	CMF100BB-2PCB-PT63	19	D13-7	53
60-1-PT15	43	CMF100BB-2TCB-PT63	37	D13-8	53
60-20-PT15	44	CMF100BC-1TCT-PT63	8	D13-9	54
64-1-PT2	43	CMF100BC-2TCT-PT63	8	D14-1	53
64-20-PT2	44	CMF100SN-1DBT-PT63	25	D14-2	53
64-26-PT2	44	CMF100SN-1SNB-PT63	23	D14-3	54
64-31-PT15	43	CMF100SN-2DBT-PT63	25	D14-4	54
64-32-PT15	44	CMF100SN-2SNB-PT63	23	D14-5	54
75-1-PT2	43	CMF100SY-1SVSY-PT63	14	D14-6	54
75-20-PT2	44	CMF100SY-2SVSY-PT63	14	D15-1	53
75-26-PT2	44	CMF60	51, 52	D15-2	53
75-51-PT2	46	CMF60BB-1PCB-PT42	19	D15-3	54
75-52-PT2	47	CMF60BB-1TCB-PT42	37	D15-4	54
75-55-PT	47	CMF60BB-2PCB-PT42	19	D15-5	54
75-5-PT2	45	CMF60BB-2TCB-PT42	37	D15-6	54
ACW100BNB-1BN-PT2N	22	CMF60BB38BB-1PCB-F22	40	D16-1	53
ACW100BNB-20BNB-PT2N	22	CMF60BC-1TCT-PT42	8	D16-2	53
ACW100CUB-1PC-PT2	18	CMF60BC-2TCT-PT42	8	D16-3	54
ACW100CUB-20PCB-PT2	18	CMF60SN-1DBT-PT42	25	D16-4	54
ACW100NAY-1SC-PT2	13	CMF60SN-1SNB-PT42	23	D17-1	53
ACW100NAY-20SCSY-PT2	13	CMF60SN-2DBT-PT42	25	D17-2	53
ACW125BNB-1BN-PT8N	22	CMF60SN-2SNB-PT42	23	D21-1	55
ACW125BNB-20BNB-PT8N	22	CMF60SY-1SVSY-PT42	14	D21-2	55
ACW125CUB-2PC-PT8	18	CMF60SY-2SVSY-PT42	14	D21-3	55
ACW125CUB-20PCB-PT8	18	CMF75	51, 52	D22-1	55
ACW125NAY-1SC-PT8	13	CMF75BB-1PCB-F22	40	D22-2	55
ACW125NAY-20SCSY-PT8	13	CMF75BB-1PCB-PT502	19		
ACW75BNB-1BN-PT2N	22				

INDEX

Item No.	Page	Item No.	Page	Item No.	Page
D22-3	55	SKA50TC-1PC-PT1	4	WTC60DBT-20PCT-PT15	26
D24-1	55	SKA50TC-20PCT-PT1	4	WTC60MNY-1SY-PT15	56
D24-2	55	SKA60TC-1PC-PT15	5	WTC60MNY-20SYSY-PT15	56
D24-3	55	SKA60TC-20PCT-PT15	5	WTC60MNT-20PCT-PT15	26
F22	49, 52	SKA75TC-1PC-PT2	5	WTC60TKT-1BN-PT15N	26
FMF100	50, 52	SKA75TC-20PCT-PT2	5	WTC60TKT-20BNT-PT15N	26
FMF100YSV-1SV-PT63	15	SKE100TC-51SC-PT2	6	WTC75DBT-20PCT-PT2	27
FMF100YSV-2SV-PT63	15	SKE100TC-52SCT-PT2	6	WTC75MNT-1PC-PT2	27
FMF50	50, 52	SKE50TC-21SC-PT2A	6	WTC75MNT-20PCT-PT2	27
FMF60	50, 52	SKE50TC-220SCT-PT2A	6	WTC75TKT-20BNT-PT2N	27
FMF601	50, 52	SKE50TC-51SC-PT1	6		
FMF60YSV-1SV-PT42	15	SKE50TC-52SCT-PT1	6		
FMF60YSV-2SV-PT42	15	SKE50TE-52PCTE-PT1	29		
FMF75	50, 52	SKE50TG-52PCTG-PT1	29		
FMF751	50, 52	SKE50TO-52PCTO-PT1	29		
FMF75BB-2BNI-PT502	23	SKE50TR-52PCTR-PT1	29		
FMF75BBC-1PC-PT502	19	SKE50TU-52PCTU-PT1	29		
FMF75WT-1TCE-PT502	34	SKE75TC-51SC-PT2	6		
FMF75WT-1TCG-PT502	34	SKE75TC-52SCT-PT2	6		
FMF75WT-1TCO-PT502	34	SKF100MY-1SC-PT2	12		
FMF75WT-1TCR-PT502	34	SKF100MY-20SCSY-PT2	12		
FMF75WT-1TCU-PT502	34	SKF125MY-1SC-PT8	12		
FMF75WT-1TCW-PT502	39	SKF125MY-20SCSY-PT8	12		
FMF75YSV-1SV-PT502	15	SKF60MY-1SC-PT15	12		
FMF75YSV-2SV-PT502	15	SKF60MY-1SY-PT15	56		
H10	49	SKF60MY-20SCSY-PT15	12		
H10-30N	49	SKF60MY-20SYSY-PT15	56		
H10-40N	49	SKF75MY-1SC-PT2	12		
H10-50N	49	SKF75MY-20SCSY-PT2	12		
PC	42	SKI64MB-1PC-F22	40		
PT1	48	SKI64MB-31BK-PT15B	36		
PT15	48	SKI64MB-32BKT-PT15B	36		
PT2	48	SKI64ME-32PCT-PT15	31		
PT3	48	SKI64MG-32PCT-PT15	31		
PT42	52	SKI64MO-32PCT-PT15	31		
PT502	52	SKI64MR-32PCT-PT15	31		
PT63	52	SKI64MU-32PCT-PT15	31		
PT8	48	SKI64MW-32PCT-PT15	39		
RCW75TCB-1BK-PT2B	36	SKI64MY-1SC-F22	40		
RCW75TCB-20BKT-PT2B	36	SKI64MY-31SC-PT15	10		
RCW75TCE-1SC-PT2	32	SKI64MY-32SCSY-PT15	10		
RCW75TCG-1SC-PT2	32	SKL50MB-61BK-PT1B	36		
RCW75TCO-20SCT-PT2	32	SKL50MB-62BKT-PT1B	36		
RCW75TCR-20SCT-PT2	32	SKL50ME-61PC-PT1	30		
RCW75TCU-20SCT-PT2	32	SKL50MG-62PCT-PT1	30		
ROV100TC-1BN-PT2N	7	SKL50MO-62PCT-PT1	30		
ROV100TC-20BNT-PT2N	7	SKL50MR-61PC-PT1	30		
ROV50TC-1BN-PT1N	7	SKL50MU-62PCT-PT1	30		
ROV50TC-20BNT-PT1N	7	SKL50MW-62PCT-PT1	39		
ROV75TC-1BN-PT2N	7	SKL50MY-61SC-PT1	10		
ROV75TC-20BNT-PT2N	7	SKL50MY-62SCT-PT1	10		
SC	42	SKU50TC-61PC-PT1	4		
SKA100TC-1PC-PT2	5	SKU50TC-62PCT-PT1	4		
SKA100TC-20PCT-PT2	5	SN	42		
SKA125TC-1PC-PT8	5	T14	48, 52		
SKA125TC-20PCT-PT8	5	T83	48, 52		
SKA35TC-1PC-PT1	4	TCB83-18N	49		